

- Harris, W. G. and E. C. Burns. 1972. Predation on the lonestar tick by the imported fire ant. *Environ. Entomol.* 1: 362-365.
- Pimentel, D. 1955. Relationship of ants to fly control in Puerto Rico. *J. Econ. Entomol.* 48: 28-30.
- Richards, O. W. and R. G. Davies. 1977. *Imms' general textbook of entomology*. Tenth Ed. Vol. I. Halsted Press, New York, New York. 418 pp.
- Risch, S. J. 1981. Ants as important predators of rootworm eggs in the neotropics. *J. Econ. Entomol.* 74: 88-90.
- Risch, S. J. and C. R. Carroll. 1982. Effect of a keystone predaceous ant, *Solenopsis geminata*, on arthropods in a tropical agroecosystem. *Ecology* 63: 1979-1983.
- Silverman, J. 1981. Environmental parameters affecting development and specialized adaptations for survival of the cat flea, *Ctenocephalides felis* (Bouché). Ph.D. dissertation, University of California, Riverside, Department of Entomology.
- Silverman, J., E. G. Platzer, and M. K. Rust. 1982. Infection of the cat flea, *Ctenocephalides felis* (Bouché) by *Neoplectana carpocapsae* Weiser. *J. Nematol.* 14: 394-397.
- Silverman, J., M. K. Rust and D. A. Reiersen. 1981. Influence of temperature and humidity on survival and development of the cat flea, *Ctenocephalides felis* (Siphonaptera: Pulicidae). *J. Med. Entomol.* 18: 78-83.
- Sterling, W. 1978. Fortuitous biological suppression of the boll weevil by the red imported fire ant. *Environ. Entomol.* 7: 564-568.

PROC. ENTOMOL. SOC. WASH.
86(3), 1984, p. 663

NOTE

A new host for *Perilampus hyalinus* Say (Hymenoptera: Perilampidae)

Perilampus hyalinus Say (det. E. E. Grissell, Systematic Entomology Laboratory, USDA) was reared as a hyperparasite from puparia of *Senotainia trilineata* (Van der Wulp) and *S. vigilans* Allen (Diptera: Sarcophagidae: Miltogrammini) from cells of *Tachysphex terminatus* (Smith) and *Tachytes validus* Cresson (Hymenoptera: Sphecidae) at two central New York sites in 1981 and 1982. *P. hyalinus*, either as a primary or secondary parasite, may represent a species complex rather than a single species (Burks, in Krombein et al. 1979, Catalog of Hymenoptera in America North of Mexico, Vol. 2 (Aculeata), Smithsonian Inst. Press: 768-835). Host records on Miltogrammini exist only for *Perilampus* sp. and *P. hyalinus* on *S. trilineata* (Frisch, J. G. 1936. *Psyche* 43: 84-85; Frisch, 1938. *Am. Midl. Natur.* 19: 673-677; Medler, J. F. 1965. *Ann. Entomol. Soc. Am.* 58: 137-142). Thus *S. vigilans* is a new secondary host for *P. hyalinus*.

Margery G. Spofford and Frank E. Kurczewski, *Department of Environmental and Forest Biology, SUNY College of Environmental Science and Forestry, Syracuse, New York 13210.*